

Tuesday, 30 June 2020

INTRODUCTION

As representatives of 8 global cancer coalitions and alliances, representing 650 patient advocacy and other cancer organizations and the interests of over 14 million patients¹ around the world, we have united to share the following statement on COVID-19 and a call for a global plan of action for cancer to meet the challenges of future pandemics or health crises.

Although in some countries we are seeing encouraging signs that the worst phase of the pandemic is coming to an end albeit with concerns about a potential second wave, in other countries COVID-19 continues to pose severe challenges. However, we believe that this is a crucial time to start addressing how we can restore cancer services safely and effectively and without undue delay where at all possible.

As an alliance of cancer organizations representing patients from all over the world, we believe we have an important role to play in sharing and reinforcing critical key messages. This includes messages to encourage those who are living with cancer to continue treatment and to those with concerns about symptoms to visit their primary health care providers as soon as possible. It is also essential that we support organisations working at national and local level who are directly providing support and information for cancer patients at this challenging time.

THE CHALLENGES

We have seen first-hand the devastating impact that COVID-19 has had on cancer services and patients in many countries including:

- Suspension of many screening and diagnostic services;
- Delays on the part of those with symptoms that could be cancer in seeking medical assessment or postponing planned investigations – which will undoubtedly lead to an increase of cancers diagnosed at later stages and with higher mortality rates;
- Cancellation and/or deferrals of life-saving treatments, including surgery, chemotherapy, immunotherapy, targeted therapy, and radiation;
- Changes in treatment regimens to ones that allow for the best balance between clinical efficacy and protection against exposure to the virus;
- Interruption of vital research and clinical trials that are essential to developing effective future cancer treatments;
- Plummeting incomes for charities and not-for-profit patient advocacy organizations that play a vital role in supporting cancer patients – at a time when these organizations are reporting a significant COVID-19 related increase in demand for information and support, including demand for new information resources that are COVID-19 specific. There is a real threat that this fall in income will mean many cancer patient advocacy organizations will cease to exist;

- The need for these same charities and not-for profits to change working practices almost overnight including major upscaling of technical know-how and equipment, moving face-to-face services and activities to virtual platforms, moving from office to home based working and managing the impact of reduced staff numbers due to financial stresses.

THE WAY FORWARD

We must do whatever is required to combat the impact of the above challenges.

We acknowledge the efforts that have been made by national front-line workers and healthcare systems to deal with the pandemic. We are aware of the tremendous toll that this crisis has had on the physical and emotional well-being of all healthcare workers, including those from cancer services. They must be fully supported to recover from the physical and emotional impact experienced during this time.

We applaud efforts that have been made in some areas to provide cancer patients continued access to the best treatment and care possible. It is especially important that we recognise these good practices as measures that can be implemented in a future health crisis.

Best practices include:

- Hospitals that are designated or designed as COVID-19 free centres where cancer patients can be treated at much lower risk of catching the virus;
- Where this is not possible, onsite separation of cancer patients who need to visit hospital from those who may have COVID-19. Cancer patients must be confident that they can safely access services;
- A focus to ensure that there is a rapid catch-up to post COVID-19 levels of cancer treatment as well as in screening programs and follow-up investigations;
- Ambulatory services designed to deliver, where practical, safe and possible, treatments or tests at a patient's home;
- Tele-medicine services – including telephone, online, and virtual connections to healthcare teams and individual clinicians, decreasing the need for in-person hospital visits, particularly for routine follow-up appointments;
- Innovative ways of involving family and carers to participate in consultations where patients may not be allowed to bring anyone with them, for example, through virtual services.

We also know from our own member organizations that there are many excellent examples of good practice in relation to supporting cancer patients during this time, for example, by offering direct access to psychological support services specifically for those experiencing anxiety as a result of COVID-19 and the establishment of app-based support groups.

Indeed, many new services offer the potential to increase accessibility to vital support, not just during a pandemic, but once we return to some state of normality.

The current international health crisis has also seen a sometimes fractured and competitive cancer community come together, with regular online meetings to share experiences, implement new ways of working and, most

of all, improve communications. Other key players within the sector (including pharmaceutical, bio-tech, technology and academia) have also come together in innovative collaborations to tackle the COVID-19 challenge.

We believe that actions like those described above should form part of a clear and thorough global plan of action for our cancer communities that can be drawn upon during this, as well as, future pandemics or crises.

At the global and national level, patient advocacy organizations, governments and health services, must work together with other key stakeholders including industry and academia, to ensure that we regain the ground that has been lost to the COVID-19 pandemic.

We the undersigned are here to play our part in this crucial work.

Advanced Breast Cancer Global Alliance

International Kidney Cancer Coalition

Global Lung Cancer Coalition

Lymphoma Coalition

Global Colon Cancer Association

World Bladder Cancer Coalition

International Brain Tumour Alliance

World Ovarian Cancer Coalition

ⁱ Globocan 2018 <https://bit.ly/Globocan> accessed 20/6/2020

Estimated number of prevalent (5-year) cases in 2018, worldwide, both sexes, all ages

Cancer	5-year prevalence (Global)
Kidney	1,025,730
Ovary	762,663
Bladder	1,648,842
Colorectum	4,789,635
Non-Hodgkin Lymphoma	1,353,273
Hodgkin Lymphoma	79,990
Primary malignant Brain tumours (CNS), all ages	771,110
Lung	2,129,964

Prevalence data for advanced breast cancer is not available on Globocan. The 14m figure used includes an estimated figure of 2m people worldwide living with advanced breast cancer. This is based on an assumption that of the 6,875,099 people (Globocan, 5-year breast cancer prevalence) living with breast cancer one-third are living with advanced breast cancer.